

A historical list of growth media that has been employed in  
zooxanthellae culturing.

Name of Medium	Formulation by:	Employed by:
ASP-8A	Ahles 1967	Schoenberg and Trench 1980a Fitt et al. 1981 Colley and Trench 1983 Chang et al. 1983 Fitt and Trench 1983 Trench and Fisher 1983 Fitt 1984 Blank 1987 Trench and Blank 1987 Blank and Trench 1988 Blank and Huss 1989 Rogerson et al. 1989 Lesser and Shick 1990 Markell et al. 1992 Iglesias-Prieto et al. 1992 Markell and Trench 1993 Iglesias-Prieto et al. 1993 Iglesias-Prieto and Trench 1994 Trench and Thinh 1995 Iglesias-Prieto and Trench 1997 Stochaj and Grossman 1997 Wilcox 1998 Warner et al. 1999 Banaszak et al. 2000
EMS	Watanabe et al. 1988	Carlos et al. 1999
K	Keller et al 1987	Carlos et al. 1999 Carlos et al. 2000
M Series	McLaughlin and Zahl 1959	McLaughlin and Zahl 1959 Kinzie 1974
CSI	McLaughlin and Zahl 1959	McLaughlin and Zahl 1959
f/2	Guillard and Ryther 1962	Kinzie et al. 1984 Crafts and Tuliszewski 1995 Rowan et al. 1996 Baille et al. 1998 Belda-Baillie et al. 1999 Santos et al. submitted
ES	Provasoli 1968	Kinzie and Chee 1979 Lerch and Cook 1984 Steen 1987
ISM	Lee et al. 1980	Lee et al. 1995

## References

- Ahles, M.D. 1967. Some aspects of the morphology and physiology of *Symbiodinium microadriaticum*. Ph.D. dissertation. Fordham University, New York. 173 p.
- Schoenberg, D.A., & Trench, R.K. 1980a. Genetic variation in *Symbiodinium* (=*Gymnodinium*) *microadriaticum* Freudenthal, and specificity in its symbiosis with marine invertebrates. I. Isozyme and soluble protein patterns of axenic cultures of *Symbiodinium microadriaticum*. *Proc. R. Soc. Lond. B* 207:405-27.
- Baillie, B.K., Monje, V.A., Silvestre, V., Sison, M., & Belda-Baillie, C.A. 1998. Allozyme electrophoresis as a tool for distinguishing different zooxanthellae symbiotic with giant clams. *Proc. R. Soc. Lond. B.* 256:1949-56.
- Belda-Baillie, C.A., Sison, M., Silvstre, V., Villamor, K., Monje, V., Gomez, E.D., & Baillie, B.K. 1999. Evidence for changing symbiotic algae in juvenile tridacnids. *J. Exp. Mar. Biol. Ecol.* 241:207-21.
- Banaszak, A.T., Iglesias-Prieto, R., & Trench, R.K. 1993. *Scrippsiella velellae* sp. nov. (Peridiniales) and *Gloeodinium viscum* sp. nov. (Phytodiniales), dinoflagellate symbionts of two hydrozoans (Cnidarians). *J. Phycol.* 29:517-28.
- Blank, R.J., & Huss, V.A.R. 1989. DNA divergency and speciation in *Symbiodinium* (Dinophyceae). *Pl. Syst. Evol.* 163:153-63.
- Blank, R.J., & Trench, R.K. 1988. Immunogold localization of ribulose-1,5-bisphosphate carboxylase-oxygenase in *Symbiodinium kawagutii* Trench et Blank, an endosymbiotic dinoflagellate. *Endocyt. Cell. Res.* 5:75-82.
- Blank, R.J. 1987. Cell architecture of the dinoflagellate *Symbiodinium* sp. inhabiting the Hawaiian stony coral *Montipora verrucosa*. *Mar. Biol.* 94:143-55.
- Carlos, A.A., Baillie, B.K., & Maruyama, T. 2000. Diversity of dinoflagellate symbionts (zooxanthellae) in a host individual. *Mar. Ecol. Prog. Ser.* 195:93-100.
- Keller, M.D., Selvin, R.C., Claus, W., & Guillard, R.R.L. 1987. Media for the culture of oceanic ultraphytoplankton. *J. Phycol.* 23:633-8.
- Carlos, A.A., Baillie, B.K., Kawachi, M., & Maruyama, T. 1999. Phylogenetic position of *Symbiodinium* (Dinophyceae) isolates from Tridacnids (Bivalvia), Cardiids (Bivalvia), a sponge (Porifera), a soft coral (Anthozoa), and a free-living strain. *J. Phycol.* 35:1054-62.
- Chang, S.S., Prezelin, B.B., & Trench, R.K. 1983. Mechanisms of photoadaptation in three strains of the symbiotic dinoflagellate *Symbiodinium microadriaticum*. *Mar. Biol.* 76:219-29.

Colley, N.J., & Trench, R.K. 1983. Selectivity in phagocytosis and persistence of symbiotic algae by the scyphistoma stage of the jellyfish *Cassiopeia xamachana*. *Proc. R. Soc. Lond. B.* 219:61-82.

Crafts, C.B., & Tuliszewski, J.R. 1995. Motility rhythms in cultured zooxanthellae isolated from the scyphomedusa *Linuche unguiculata*. *Bull. Mar. Sci.* 56:822-5. Rowan, R., Whitney, S.M., Fowler, A., & Yellowlees, D. 1996. Rubisco in marine symbiotic dinoflagellates: Form II enzymes in eukaryotic oxygenic phototrophs encoded by a nuclear multigene family. *Plant Cell* 8:539-53.

Fitt, W.K. 1984. The role of chemosensory behavior of *Symbiodinium microadriaticum*, intermediate hosts, and host behavior in the infection of coelenterates and molluscs with zooxanthellae. *Mar. Biol.* 81:9-17.

Fitt, W. K., & Trench R. K. 1983. The relation of diel patterns of cell division to diel patterns of motility in the symbiotic dinoflagellate *Symbiodinium microadriaticum* Freudenthal in culture. *New Phytol.* 94:421-32.

Fitt, W.K., Chang, S.S., & Trench, R.K. 1981. Motility patterns of different strains of the symbiotic dinoflagellate *Symbiodinium* (=*Gymnodinium*) *microadriaticum* (Freudenthal) in culture. *Bull. Mar. Sci.* 31:436-43.

Guillard, R.R.L., & Ryther J.H. 1962. Studies of marine planktonic diatoms. I. *Cyclotella nana* hustedt, and *Detonula confervacea* (cleve) gran. *Can. J. Microbiol.* 8:229-39.

Iglesias-Prieto, R., & Trench, R.K. 1997. Acclimation and adaption to irradiance in symbiotic dinoflagellates. II. Response of chlorophyll-protein complexes to different photon-flux densities. *Mar. Biol.* 130:23-33.

Iglesias-Prieto, R., & Trench, R.K. 1994. Acclimation and adaptation to irradiance in symbiotic dinoflagellates. I. Responses of the photosynthethic unit to changes in photon flux density. *Mar. Ecol. Prog. Ser.* 113:163-75.

Iglesias-Prieto, R., Govind, N.S., & Trench, R.K. 1993. Isolation and characterization of three membrane-bound chlorophyll-protein complexes from four dinoflagellate species. *Phil. Trans. R. Soc. Lond. B.* 340:381-92.

Iglesias-Prieto, R., Matta, J.L., Robins, W.A., & Trench, R.K. 1992. Photosynthetic response to elevated temperature in the symbiotic dinoflagellate *Symbiodinium microadriaticum* in culture. *Proc. Natl. Acad. Sci. USA.* 89:10302-5.

Kinzie III, R.A., Jokiel, P.L., & York, R. 1984. Effects of light of altered spectral composition on coral zooxanthellae associations and on zooxanthellae *in vitro*. *Mar. Biol.* 78:239-48.

- Kinzie III, R.A., & Chee, G.S. 1979. The effect of different zooxanthellae on the growth of experimentally reinfected hosts. *Biol. Bull.* 156:315-27.
- Kinzie III, R.A. 1974. Experimental infection of aposymbiotic gorgonian polyps with zooxanthellae. *J. Exp. Mar. Biol. Ecol.* 15:335-45.
- Lee, J.J., Wray, C.G., & Lawrence, C. 1995. Could Foraminiferal zooxanthellae be derived from environmental pools contributed to by different coelenterate hosts? *Acta Protozool.* 34:75-85.
- Lee, J.J., McEnery, M.E., & Garrison, J.R. 1980. Experimental studies of larger foraminifera and their symbionts from the Gulf of Elat. *J. Foraminiferal Res.* 10:31-47.
- Lerch, K.A., & Cook, C.B. 1984. Some effects of photoperiod on the motility rhythm of cultured zooxanthellae. *Bull. Mar. Sci.* 34:477-83.
- Lesser, M. P., & Shick, J. M. 1990. Effects of visible and ultraviolet radiation on the ultrastructure of zooxanthellae (*Symbiodinium* sp.) in culture and *in situ*. *Cell Tissue Res.* 261:501-8.
- Markell, D.A., & Trench, R.K. 1993. Macromolecules exuded by symbiotic dinoflagellates in culture: amino acid and sugar composition. *J. Phycol.* 29:64-8.
- Markell, D.A., Trench, R.A., & Iglesias-Prieto, R. 1992. Macromolecules associated with the cell walls of symbiotic dinoflagellates. *Symbiosis* 12:19-31.
- McLaughlin, J.J.A., & Zahl, P.A. 1959. Axenic zooxanthellae from various invertebrate hosts. *Ann. N.Y. Acad. Sci.* 77:55-72.
- Provasoli, L. 1968. Media and prospects for the cultivation of marine algae. In Watanabe, A. & Hattori, R. [Eds.] *Culture and Collections of Algae*. Proc. U.S.-Japan Conference, Hakone, Japan, pp. 63-95.
- Rogerson, A., Polne-Fuller, M., Trench, R.K., & Gibor, A. 1989. A laboratory-induced association between the marine amoeba *Trichosphaerium* AM-I-7 and the dinoflagellate *Symbiodinium* #8. *Symbiosis* 7:229-41.
- Steen, R.G. 1987. Evidence for facultative heterotrophy in cultured zooxanthellae. *Mar. Biol.* 95:15-23.
- Stochaj, W.R., & Grossman, A.R. 1997. Differences in protein profiles of cultured and endosymbiotic *Symbiodinium* sp. (Pyrrophyta) from the anemone *Aiptasia pallida* (Anthozoa). *J. Phycol.* 33:44-53.

- Trench, R.K., & Thinh, L.V. 1995. *Gymnodinium linucheae* sp. nov.: the dinoflagellate symbiont of the jellyfish *Linuche unguiculata*. *Eur. J. Phycol.* 30:149-54.
- Trench, R.K., & Blank, R.J. 1987. *Symbiodinium microadriaticum* Freudenthal, *S. goreauii* sp. nov., *S. kawagutti* sp. nov., and *S. pilosum* sp. nov.: Gymnodinioid
- Trench, R.K., & Fisher, C.R. 1983. Carbon dioxide fixation in *Symbiodinium microadriaticum*: Problems with mechanisms and pathways. *Endocytobiol.* 2:659-73.
- Warner, M.E., Fitt, W.K., & Schmidt, G.W. 1999. Damage to photosystem II in symbiotic dinoflagellates: A determinant of coral bleaching. *Proc. Natl. Acad. Sci. USA.* 96:8007-12.
- Watanabe, M.M., Kasai, F., & Sudo, R. 1988. NIES – collection list of strains, 2<sup>nd</sup> ed., Microalgae and protozoa. In: *The Microbial Culture Collection*. Watanabe, M.M., Kasai, F., & Sudo, R. (Eds.) The Natural Institute for Environmental Studies, Tsukuba, Japan, pp 148.
- Wilcox, T.P. 1998. Large-subunit ribosomal RNA systematics of symbiotic dinoflagellates: Morphology does not recapitulate phylogeny. *Mol. Phylogenetic Evol.* 10:436-48.